EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	9	(("20040085821") or ("6917548") or ("20030145250") or ("6781898") or ("20050188286")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 11:15
S5	787	714/30.ccls. and (@ad<="20040225" @rlad<="20040225" @prad<="20040225" @pd<="20040225")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:33
S6	20	S5 and memory and MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:28
S7	1	"10/708,347"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:46
S8	11	("5278789" | "5644784" | "5842038" | "5909686" | "5987507" | "5991215" | "6088817" | "6119196" | "6173384" | "6175902" | "6445627").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/15 12:33
S9	651	714/42.ccls. and (@ad<="20040225" @rlad<="20040225" @prad<="20040225" @pd<="20040225")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:50
S10	0	S9 and (BIST or (built adj in adj self adj test)) and (defect adj list) and MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:34
S11	0	S9 and (BIST or (built adj in adj self adj test)) and (defect adj list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:34
S12	0	S9 and (BIST or (built adj in adj self adj test)) and (stor$3 near2 defect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:35

S13	1	S9 and (BIST or (built adj in adj self adj test)) and MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:38
S14	2	("6792500").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 12:37
S15	3	S9 and (BIST or (built adj in adj self adj test)) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:40
S16	38	S9 and (BIST or (built adj in adj self adj test))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:40
S17	651	714/42.ccls. and (@ad<="20040225" @rlad<="20040225" @prad<="20040225" @pd<="20040225")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 18:20
S18	38	S17 and (BIST or (built adj in adj self adj test))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 18:18
S19	613	S17 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/15 18:20
S21	2	("6792500").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 15:46

S22	26	(US-20040085821-$ or US-20030145250-$ or US-20030204782-$ or US-20030126512-$ or US-20050022066-$ or US-20020120887-$).did. or (US-6917548-$ or US-6781898-$ or US-6865694-$ or US-6615378-$ or US-6173384-$ or US-6088817-$ or US-5909686-$ or US-6928588-$ or US-6792500-$ or US-6968427-$ or US-6691252-$ or US-6000048-$ or US-6397349-$ or US-6321313-$ or US-6317846-$ or US-6098194-$ or US-5894549-$ or US-5835704-$ or US-5748985-$ or US-5748879-$). did.	US-PGPUB; USPAT	OR	OFF	2006/05/16 15:49
S23	1	S22 and hash$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 16:09
S24	6	fail$3 with MAC with address with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:12
S25	510	fail$3 with MAC with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:11
S26	468	fail$3 with (MAC adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:12
S27	94	fail$3 with MAC with address with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:34
S28	39	(MAC near2 address near2 (table or memory)) with (fail$3 or defect$3 or fault$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:47

EAST Search History

S29	63	S27 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:48
S30	436	S26 not S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:48
S31	376	S30 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 16:49